

Food Plant Solutions Brief Guide to Food Plant Gardens in the Colac-Otway region

Our bodies need nutrients to be healthy and strong - nutritious food provides these:

- Starch:** Starch provides sustained energy for the body.
- Protein:** Protein helps the body repair cells and make new ones. Protein is also important for growth and development in children, teens, and pregnant women. Symptoms of protein deficiency include wasting and shrinkage of muscle tissue, and slow growth (in children).
- Vitamin A:** Vitamin A is very important for eyesight and fighting disease, particularly in infants, young children and pregnant women. People who are short of Vitamin A have trouble seeing at night.
- Vitamin C:** Vitamin C helps us avoid sickness, heal wounds, prevent infections and absorb iron from food. Severe vitamin C deficiency increases the risk of scurvy with symptoms such as inflammation of the gums, scaly skin, nosebleed and painful joints.
- Iron:** Iron is important because it helps red blood cells carry oxygen from the lungs to the rest of the body. Low levels of iron cause anaemia, which makes us feel fatigued. Iron is also important to maintain healthy cells, skin, hair and nails. Iron is more available when Vitamin C is also present.
- Zinc:** Zinc is particularly important for the health of young children and teenagers, and to help recovery from illness. It is needed for the body's immune system to work properly. It plays a role in cell division, cell growth, wound healing, and the breakdown of carbohydrates. Zinc is also needed for the senses of smell and taste. Zinc deficiency is characterized by stunted growth, loss of appetite, and impaired immune function.



Starting a garden

PLAN:

Identify a suitable location for the garden. Factors to consider include:

A site that receives 6-8 hours a day of sunlight and is not shaded by buildings or trees.

Easy access – a garden that is difficult to get to will not be maintained.

Protection from predators like native animals. If this is an issue, consider what can be used as a barrier and install it before planting.

Adequate and easily accessed water, whether it be a garden hose or a watering can.

TOOLS AND EQUIPMENT:

What do you need to turn over the soil, to plant seeds and seedlings (e.g. spade, hand trowel, hoe) and how will soil be moved to cover seeds (e.g. rake). Can you borrow tools to reduce your start-up costs?

SIZE:

Gardens can be all different sizes. Plan the size of your garden – what space is available and how much time do you have? Start small and increase the area as you become more confident. If space is limited, remember plants can be successfully grown in containers or pots.

BUILD:

Clear the area, removing any existing plants and large weeds (turn the soil – dig, lift and turn it over onto itself). Once the soil has been loosened,

spread compost and work it into the soil. Avoid stepping on freshly turned soil, as this will compact the soil and undo your hard work. Once the digging is complete, smooth the surface with a rake and water thoroughly. Allow the bed to rest for several days before planting. Use a good quality potting medium if using pots and containers.

PLANT:

Seeds and seedlings can be purchased from nurseries, garden centres and most hardware stores. A packet of seeds will grow a lot of seedlings but take longer to mature than transplanted seedlings. Plant seeds and seedlings in accordance with their specific directions and apply sufficient water to ensure the soil around the seeds and/or seedling roots is moist. Consider how tall and wide each plant will grow when planning the space between plants. Information on seed packets or seedling labels will indicate the appropriate distance between neighbouring plants. Add a thick layer of mulch around seedlings to help keep the soil moist. Make small signs to stick in the ground to show what you have planted.

MAINTAIN:

Plants need regular watering, which ideally should occur in the morning, never in the heat of the day. Weeds will compete with the plants for nutrients and water, so it is important to keep them to a minimum. Hand weeding and adding mulch around seedlings will help keep weeds under control.

Starchy Staples provide energy and dietary fibre

Common name: Yam daisy, Murnong

Scientific name: *Microseris lanceolata*

Cultivation: In the wild, this perennial species will tolerate a sandy soil and little water. For best results in a home garden, use a rich and loamy soil, watering well during the Summer. It prefers full sun but will also grow reasonably well in dappled shade. Murnong is suitable for both garden beds and large pots with plenty of root space.

Use: The tubers start forming in midsummer beneath clumps of yellow dandelion-like daisy flowers. When the flowers blossom in autumn, the tuber roots are ready for harvest. Simply dig them up and enjoy Yam daisy produces gangly, milky, white tuberous roots that may be eaten raw or baked. They can be prepared warm with butter, included in salads, mixed with other vegetables, or turned into a paste for desserts. They taste sweet and slightly coconutty. The slightly bitter leaves are also edible and may be enjoyed in salads.

Nutrients: energy

Common name: Oca

Scientific name: *Oxalis tuberosa*

Cultivation: Plants are grown from tubers or cut pieces of tubers which contain 1-3 eyes. Planting is normally done at the beginning of the rainy season or Spring as soil temperatures increase. Plants are weeded and soil mounded around them. A spacing of 20-40 cm x 20-36 cm is recommended.

Use: The tubers are acid when fresh but are dried slightly then cooked and eaten. The bitter kinds are freeze dried and stored for later use. They can be used in soups and stews. The young leaves and shoots can be eaten. **Caution:** Fresh tubers contain oxalates, which affects calcium absorption.

Nutrients: tuber (cooked): energy

Common name: Potato

Scientific name: *Solanum tuberosum*

Cultivation: Plants are grown from tubers. Large tubers can be cut to include a bud or "eye". A seed piece of 40-50 g is suitable. It is best to inter-crop as this stops bacterial wilt spreading. The plant is surrounded by dirt when 20-25 cm tall. Later the tubers need to be kept covered with dirt.

Use: The tubers are cooked and eaten. They are also fried, canned, and made into starch. The tubers are boiled, baked, roasted, mashed, and used in soups, stews, dumplings, pancakes and potato salads.

Nutrients: energy, iron, zinc

Legumes provide protein for growth

Common name: Australian-pea, Dolichos-pea

Scientific name: *Dipogon lignosis*

Cultivation: Plants can be grown by seeds or cuttings.

Use: The young seeds are eaten fried or cooked and salted. The green pods are eaten. The dried seeds are also cooked and eaten.

Nutrients: energy, protein, iron

Common name: Soybean

Scientific name: *Glycine max*

Cultivation: It is grown from seed direct planted or in a nursery and then plants transplanted to the garden. Plants need to be about 20 cm apart. Plant in garden in spring once all frosts have finished.

Use: The young pods and ripe seeds are eaten. The dried seeds are boiled or baked and used in soups, stews, and casseroles. Toasted seeds are eaten like a snack. The young leaves can be eaten.

Nutrients: energy, vit A, iron

Common name: Common bean

Scientific name: *Phaseolus vulgaris*

Cultivation: Plants are grown from seed, preferably sown in raised beds. Seeds remain viable for 2 years. Germination is normally good if seed has been well stored. Climbing types need stakes. Plants are self-fertilised. Beans can be intercropped with other plants. If grown on their own, bush types can be spaced at 25 cm x 25 cm. They can be sown closer together in rows wider apart to make weeding and harvesting easier. For dried beans, once the pods are mature and turning yellow, the whole plants are pulled, then dried and threshed. Flowering in most French bean varieties is not affected by day length.

Use: The young pods, leaves and mature seeds are edible. Dry seeds are soaked in water and boiled until soft.

Nutrients: protein, vit A



Leafy greens are a source of iron

Common name: Grain amaranth

Scientific name: *Amaranthus caudatus*

Cultivation: Plants can be grown from seed if the soil is warm. Seeds are small and grow easily. Cuttings of growing plants root easily.

Use: The leaves and young plant are eaten cooked. They are also used in stir fries and added to soups. The seeds are ground into flour and used to make bread. **Caution:** This plant can accumulate nitrates if grown with high nitrogen inorganic fertilisers and these are poisonous.

Nutrients: iron

Common name: Silver beet

Scientific name: *Beta vulgaris subsp. cicla*

Cultivation: A spacing of 30cm between plants is suitable. Seed are sown 2.5 cm deep.

Use: The leaves and stalks are cooked and eaten. They can be eaten raw in salads. The leaf stalks can be cut from the leaf and cooked separately as an asparagus substitute.

Nutrients: provit A, vit C, iron, zinc

Common name: Warrigal Greens, New Zealand Spinach

Scientific name: *Tetragonia tetragonoides*

Cultivation: It is grown from seeds or cuttings. It is easy to save seed. Seed can be bought in stores. Seeds often grow better if soaked in water overnight. Seedlings are not easy to transplant so it is better to sow direct. Often 3-4 seeds are planted in a mound with the mounds 70 cm apart. Cuttings form roots quickly.

Use: The fleshy leaves and tops are eaten. They can be eaten raw, steamed, boiled, stir-fried, creamed, served with mushrooms, or made into quiche. **Caution:** They can contain oxalates and nitrates which can be poisonous.

Nutrients: vit A, vit C, iron



Fruit are an important source of vitamins and dietary fibre

Common name: Strawberry

Scientific name: *Fragaria x ananassa*

Cultivation: Plants are grown from runners. These runners form roots and then new plants. Plants are spaced about 45 cm apart in rows 75 cm apart.

Use: The ripe fruit are eaten raw. They are also used in desserts, jams, preserves and for flavouring.

Nutrients: vit C

Common name: Midjimberry, Midgen Berry

Scientific name: *Austromyrtus dulcis*

Cultivation: Plants can be grown from cuttings or seed. Fresh seed germinate in 21-28 days. Stored seed take longer to germinate and probably should be soaked before planting. It should be pruned regularly.

Use: The fruit are used for jam, desserts, pies, ice cream, and yoghurts. They can also be eaten raw.

Nutrients: energy, protein, iron, zinc

Common name: Raspberries

Scientific name: *Rubus idaeus*

Cultivation: Rooted cuttings are used. Soft wood cuttings can be used. Fruit are usually produced on one-year old canes. After harvesting the fruit bearing canes are cut at ground level and removed.

Use: The fruit are eaten raw. They are also used in jams, drinks and for sweets. Young leaves can be cooked and eaten as a vegetable. Dried leaves are used as a substitute for tea.

Nutrients: energy, vit A, vit C



Vegetables are an important source of vitamins and dietary fibre

Common name: Kohl rabi

Scientific name: *Brassica oleracea var. gongylodes*

Cultivation: The seed can be sown direct or in a nursery and transplanted.

Use: The bulb is cooked and eaten and can be added to soups or lightly simmered in coconut milk with spices. The young leaves are edible. It is best eaten when young before needing to be peeled and this preserves the flavour.

Nutrients: protein, vit C, iron

Common name: Broccoli

Scientific name: *Brassica oleracea var. italica*

Cultivation: The seeds are planted in a nursery then transplanted after 4-6 weeks. A spacing of 60 cm x 60 cm is suitable.

Use: The central flower is cooked and eaten. The leaves are edible. The sprouted seeds are eaten.

Nutrients: vit A, vit C, iron, zinc

Common name: Tomatillo

Scientific name: *Physalis ixocarpa*

Cultivation: Plants are grown from seed. Seed germinate in 7-10 days. Plants should be spaced 40 cm apart. Plants are best staked to prevent plants sprawling and fruit rotting. Plants can be grown from cuttings. Flowers are self-fertile.

Use: The fruit are eaten fresh. They can be used for jam, sauces, pickles, or juice. They are used in soups, curries, and in cooked meat dishes. Unripe fruit are often used in a hot chili sauce.

Nutrients: energy, vit A, vit C, iron



Acknowledgements:

This guide is based on information from the Food Plants International (FPI) database, “Edible Plants of the World”, developed by Tasmanian agricultural scientist Bruce French AO.

“Food Plant Solutions Brief Guide to Food Plant Gardens in the Colac-Otway region” is a limited selection of food plants intended as a **Draft Guide only** to identify some local food plants that have high levels of nutrients that are important to human nutrition. This guide has been developed with the best intention to create interest and improve understanding of the important local food plants in the Colac-Otway region. It is not a comprehensive guide of food plants for the Colac-Otway region. Other important nutritious plants may be equally useful. Please contact Food Plant Solutions if you would like further information about these, or more detailed information about the ones selected.

Food Plant Solutions Rotary Action Group was initiated by the Rotary Club of Devonport North to assist in creating awareness of the edible plant database developed by Food Plants International, and its potential in addressing malnutrition and food security in any country of the world. In June 2007, Food Plant Solutions was established as a project of Rotary District 9830, the Rotary Club of Devonport North and Food Plants International. The primary objective of the project is to increase awareness and understanding of the vast food resource that exists in the form of local plants, which are well adapted to the prevailing conditions in which they are to be grown, and how this resource may be used to address hunger, malnutrition and food security. For more information, visit the website www.foodplantsolutions.org or email info@foodplantsolutions.org

Disclaimer: This Guide has been produced using information from the “Edible Plants of the World” database compiled by Bruce French of Food Plants International. Although great care has been taken by Food Plants International and Food Plant Solutions, neither organisation, or the people involved in the compilation of the database or this Field Guide:

- makes any expressed or implied representation as to the accuracy of the information contained in the database or the Brief Garden Guide, and cannot be held legally responsible or accept liability for any errors or omissions
- can be held responsible for claims arising from the mistaken identity of plants or their inappropriate use
- assume responsibility for sickness, death or other harmful effects resulting from eating or using any plant described in the database or this Brief Garden Guide.

Always be sure you have the correct plant, and undertake proper preparation methods.

Compost - if it has lived once, it can
live again.



www.foodplantsolutions.org